



Technical Specification of Construction and Heavy Equipment

| | |
|------------------------------|--|
| 1. Manual Rotary Pipe Cutter | |
| Pipe capacity | 6"-8" (150mm-200mm) ; 8"-12" (200mm-300mm) |
| Description | For Cast Iron |
| Weight | 33.5 lbs (15.2kg) – 42 lbs (19.1kg) |
| Ergonomics | Includes a second handle, enabling two-man leverage for easier operation on larger pipe diameter |
| Durability | Built with a rugged hinged frame |

Prepared by:


OLIVIA A. FELIX
Water Maint. Foreman

Checked by:


ENGR. BJ RODRIGUEZ
OIC/Division Manager A

Approved by:

 3-11-26
ENGR. RANELY S. CARTAGO
Department Manager A

| | |
|--|---|
| 2. Gasoline Engine for Concrete Cutter | <p>Origin : Japan/Thailand</p> <p>Engine Type : Air Cooled 4 Stroke OHV</p> <p>Bore Stroke : 88 x 64mm</p> <p>Displacement : 389 cm3</p> <p>Net Power Output : 10.7 Hp @ 3600 rpm</p> <p>Carburetor : Butterfly Float Type</p> <p>Starting System : Heavy Duty Recoil Starter (Easy Pull)</p> <p>Fuel Tank Capacity : 6.1 liter</p> <p>Emission Compliant : EPA Certified No Catalyst Necessary</p> |
| Remarks | <p>1. One (1) Year Warranty</p> <p>2. Design to Handle 16" to 20" Blade</p> |