

SPECIFICATIONS

1. Fax Machine

Applicable Line: public switched telephone network (PSTN)

Type: desktop facsimile transceiver

Data Compression: MH/MR/H2

Transmission Time: Approx. 15 seconds*1

Modem Speed: 9,600 to 2,400bps with automatic fallback

Resolution: Horizontal: 8 pels/mm (203pels/inch); Vertical: 15.4 lines/mm (392 lines/inch) [superfine], 7.7 lines/mm (196 lines/inch) [fine/half], 3.85 lines/mm (98 lines/inch) [standard]

Max. Document Width: 216mm (8.50")

Max. Scanning Width: 210mm (8.27")

Max. Recording Width: 210mm (8.27")

Paper Size: (WxL): A4 (210 x 297mm)

Automatic Document Feeder: 10 sheets*2

Power Requirements: 220V - 240V

Power Consumption: Max. 110W

Dimensions (WxDxH): With paper tray: 340x298x305mm (13.39"x11.73"x12.01"); Without paper tray: 340x225x136mm (13.39"x8.86"x5.35")

Weight (approx): 3.1kg (6.8lbs.) (with paper tray)

Supply: 60m roll imaging film (one roll package): FO-9CR*3

2. Mimeo Graphing Machine

Printing Method: High speed digital master-making/ fully automatic printing

Original Type: Sheet

Original Size: 90mm x 140mm to 310mm x 435mm (3 17/32 inches x 5 1/2 inches to 12 7/32 inches x 7 1/8 inches)

Original Paper Weight: 50 gsm to 107 gsm (13lb bond to 29lb bond)

Original Paper Capacity: 1 sheet

Scanning Area: 297mm x 435mm (11 11/16 inches x 17 1/8 inches)

Printing Paper Size: 100mm x 148mm to 297mm x 420mm (3 15/16 inches x 5 13/16 inches to 11 11/16 inches x 16 17/32 inches)

Paper Supply Capacity: Approx. 1000 sheets, 64 gsm to 80 gsm (17lb bond to 21lb bond)/ Maximum stacking height: 110mm (4 11/32)

Paper Receiving Capacity: Approx. 800 sheets, 64 gsm to 80 gsm (17lb bond to 21lb bond)/ Maximum stacking height: 90mm (3 17/32)

Printing Paper Weight: 35 gsm to 128 gsm (9lb bond to 34lb bond)

Image Processing Mode: Line, Photo, Duo, Pencil

Image Quality/ Resolution (Scanning & Printing): 300dpi x 300 dpi

Master-making Time: Approx. 39 seconds or less (for B4 originals/ short edge feed/ 100% reproduction ratio)

Printing Area (max): In units of mm: 251mmx357mm (9 7/8inches x 14 1/16inches); In units of inches: 210mmx349mm (8 9/32inches x 13 3/4inches)

Print Reproduction Ratio: In units of mm: 100% reproduction ratio, Enlargement (141%, 122%, 116%), Reduction (94%, 87%, 82%, 71%); In units of inches: 100% reproduction ratio, Enlargement (154%, 129%, 121%), Reduction (94%, 78%, 65%, 61%)

Print Speed: 3 levels: 60, 80, and 100ppm

Print Position Adjustment: Horizontal: ±10mm Vertical:±10mm*1, (Horizontal:±13/32inches, Vertical:±13/32inches)

Ink Supply: Full automatic (800ml/ cartridge)

Master Supply/Disposal: Full automatic (B4: approx. 200 sheets per roll)/ Disposal capacity: approx. 30 sheets)

User Interface: LED panel

Computer Connection: USB PC Interface

Operating Noise: Max. 69dB (A) (when printing 100 sheets per minute in the operator position)

Power Source: AC100-120V/ 200-240V, 50-60Hz <2.0A/1.0A>

Power Consumption: Max. 160W, Ready: 15W or lower, Sleep: 10W or lower, Power-off: 0.5W or lower

Functions: Original, Scanning mode, scanning level, enlargement/ reduction, 2-Up, speed, print position, program, idling, confidential, meter display, proof, direct printing, auto sleep setting, auto power-off setting, RISO iQuality System

Dimensions (WxDxH): In use: 1280mmx655mmx515mm; In storage: 665mmx655mmx505mm

Required Space (WxDxH): 1280mmx1255mmx845mm

Weight: Approx. 64kg (141lb)*2

3. Photocopier Heavy Duty

Monochrome Photocopier, Network Printer and Scanner

7.0-inch WGA Touch Screen Color LCD that provides easy navigation of MFP functions and settings

Built-in Reversing Single Pass Feeder with 100-sheets document capacity

Two (2) USB Memory Port allow users to print and scan image data directly from USB memory device without the use of MFP

Engine Speed: 26cpm/ppm, 31opm

HDD: 2GB/250

Paper Size: A3, A4, Letter, Legal

Paper Capacity: 1,100 sheets (2 cassette tray + multi-bypass tray)

Built-in duplex module (back to back printing and copying)

Max. 999 continuous copy

ID card copy, electronic sorting/ grouping of documents

A3 full color scanning

4. Portable Sound System

Audio Inputs: USB, Stereo L/R RCA

Connectivity: Bluetooth/ Wireless, Wired

Color: Black

Type: Standalone, Passive

Sound Quality: High Fidelity (Hi-Fi)

Features: Portable, LED Display, Weather Resistant

Shape: 2-way, Rectangle

5. Split Type Aircon 2.5hp

Cooling: 24,00kJ/hr
Capacity Power: 2,180 Watts
Consumption Energy Efficiency Ratio: 11 kJ/W-hr
Sound Level @low: 35Dbā
Voltage, Frequency, Phase: 230 V, 60 Hz, 1 Ph
Refrigerant Type: R410A
Width x Height x Depth: 1,038 x 325 x 235 mm
Pipe Sizes (Liquid / Gas): Pipe Sizes (Liquid / Gas)
Recommended Cooling Area: 34 to 45 sqm

6. Window Type Aircon 1.5hp

Weight: 38.5 kg
Dimensions: 65 × 56 × 37.5 cm
Recommended Cooling Area: 18 – 24 sqm
Cooling Capacity: 12,660 kJ/hr
Power Consumption: 1,150 Watts
EER: 11 kJ/W-hr
Sound Level @ Low: 44 dB
12 Hour off timer
Air Flow Direction
Energy Savings Plug
Sleep Mode
Auto Swing Mode
R410A Refrigerant
R410A Refrigerant
5 Years Warranty on Compressor

7. Computer Chair with Armrest



Key Features

- Lifiable armrest
- Rocking
- Native Sponge

Material

- Mesh Fabric
- Nylon Base


Dimensions

- Backrest Height: 60cm
- Backrest Width: 53CM
- Seat Height from Ground: 40-49cm
- Seat Depth: 53cm
- Seat Width: 51cm
- Overall Width: 60cm
- Headrest Cushion Width: 30cm
- Armrest Height from Ground: 67-75cm
- Armrest Width: 24.5cm

8. Cabinet



9. Swivel Chair



DIMENSION



10. Smart Television 45"

Features:

- Real 4K picture quality
- Processor 4K
- 4K Upscaling
- High Dynamic Range
- Ultra HD Dimming
- Mega Contrast
- SmartThings App Support
- Bixby on TV
- Bluetooth Audio
- Tap view
- One remote control
- Mini wall supported
- Vesa wall supported

11. Mobile Pedestal

Material: Steel cold roll steel sheet

Thickness: 0.6 - 1.5mm

Packaging Volume: 0.163CBM

Loading Quantities: 20'GP - 160/set, 40'GP-321/set, 40'HQ-404/set

Lock and Key: Built in lock with 2pcs of foldable keys and central locking system

Structure: Knock down structure/ pre-assembled

12. Office Table



Dimension: L 100cm x D 48cm x H 75cm

13. Platform Pushcart (Heavy Duty)



SPECIFICATIONS:

- Capacity: 300kgs capacity
- Foldable trolley with 2 swivel and 2 fixed wheels
- Overall Size: 39.3" x 25" x 36.2"
- Caster Wheel: 6" diameter, heavy duty polyurethane with precision ball bearing
- Platform Material: Checkered Steel Plate (Non-skid platform surface helps prevent load shifting.)

14. Weighing Scale (Digital Hybrid Series)

Platform Scale WTX Hybrid Series Digital
Model: WTX H5 Series Capacity 500kg x
100gm

15. DSLR Camera with Lens 0.9mp

Type	Digital Camera Type	Mirrorless Sony a6400
Image Sensor	Valid Pixels	Approx. 24.3mp or Higher / With Flip screen With Lens Kit 16-55 mm
	Optical Sensor Type / Size	35 mm full frame (35.8 x 23.9 mm) Exmor CMOS Sensor
	Shutter Speed	1/8000 to 30 sec
	Light Sensitivity (ISO)	ISO 100-25600 (expandable to 50-51200)
	Supported Flash Memory	Memory Stick PRO Duo Memory Stick PRO-HG Duo Memory Stick XC-HG Duo SD memory card SDHC memory card (UHS-I compliant) SDXC memory card (UHS-I compliant)
	Image record format	RAW, JPEG Extra fine, JPEG Fine, JPEG Standard
	LCD size	3 inches
	Battery Type	Rechargeable Battery Up to 350 shots
	Battery model number	NP-FW50
Basic Spec - Common	Connections	NFC, Wifi, USB2.0, HDMI
Basic Spec - Compact	Finder	yes
	Finder Type	XGA OLED Tru-Finder
	Viewfinder coverage	100%
	Viewfinder magnification	Approx. 0.71 x (with 50mm lens at infinity, -1m-1)
Basic Spec - SLR	Lens mount	Sony E-mount lenses
Movie	Resolution	1920x1080 (Full HD)
	Movie record format	AVCHD 2.0 / MP4 / XAVCS (up to 1920 x 1080/60p 50 Mbps)
	Frame rate	60fps
	Image stabilizer	yes
	Face Recognition	yes
	Self timer	yes
	Continuous shooting	Continuous shooting: Hi: max. 5 fps, Lo: max. 2.5 fps
Others - Common	Bulb	yes
	Sensor Dust Reduction	yes
Others - SLR	RAW+JPEG	yes
Size	Dimensions (WxHxD)	126.9 x 95.7 x 59.7 mm
	Weight	556 g (Body Only)/599 g (With battery and media) Or Lightweight

16. Voice Recorder With USB

Size & Weight	DIMENSIONS (W X H X D) Approx 39.2 x 109.5 x 16.0 mm	WEIGHT Approx 82 g
General Features	BATTERY TYPE Built-In Lithium Battery	MAXIMUM FILES (TOTAL) 5000
	BUILT-IN MEMORY 16 GB	MENU LANGUAGE DE/GB/ES/FR/IT/RU/KR/CS/CT/TR
	BUILT-IN MICROPHONE Stereo	PC CONNECTIVITY Yes
	CALENDAR SEARCH Yes	PLAYBACK FORMAT MP3/AAC/WMA/WAV/FLAC
	LCD BACKLIGHT Yes	RECORDING FORMAT Linear PCM/MP3
	MAXIMUM FILES PER FOLDER 199	USB CONNECTION CHARGING Yes

MAX. RECORDING TIME LPCM 96KHZ, 24BIT 6 Hrs 35 Min	FREQUENCY RESPONSE LPCM 44.1KHZ, 24BIT 40-20,000 Hz (0--3dB)
MAX. RECORDING TIME LPCM 48KHZ, 24BIT 13 Hrs 15 Min	FREQUENCY RESPONSE LPCM 44.1KHZ, 16BIT 40-20,000 Hz (0--3dB)
MAX. RECORDING TIME LPCM 48KHZ, 16BIT 19 Hrs 50 Min	FREQUENCY RESPONSE MP3 320KBPS 40-20,000 Hz (0--3dB)
MAX. RECORDING TIME LPCM 44.1KHZ, 24BIT 14 Hrs 25 Min	FREQUENCY RESPONSE MP3 192KBPS 40-18,000 Hz (0--3dB)
MAX. RECORDING TIME LPCM 44.1KHZ, 16BIT 21 Hrs 35 Min	FREQUENCY RESPONSE MP3 128KBPS 40-16,000 Hz (0--3dB)
MAX. RECORDING TIME MP3 320KBPS 95 Hrs 25 Min	FREQUENCY RESPONSE MP3 48KBPS (MONAURAL) 40-14,000 Hz (0--3dB)
MAX. RECORDING TIME MP3 192KBPS 159 Hrs 0 Min	MANUAL RECORDING LEVEL ADJUSTMENT Yes
MAX. RECORDING TIME MP3 128KBPS 238 Hrs 0 Min	SCENE SELECT Yes
MAX. RECORDING TIME MP3 48KBPS (MONAURAL) 636 Hrs 0 Min	CROSS-MEMORY RECORDING Yes
BATTERY LIFE FOR RECORDING LPCM 96KHZ, 24BIT Approx 15 Hrs	PRE-RECORDING Yes
BATTERY LIFE FOR RECORDING LPCM 48KHZ, 24BIT Approx 15 Hrs	SYNC RECORDING FUNCTION Yes
BATTERY LIFE FOR RECORDING LPCM 48KHZ, 16BIT Approx 15 Hrs	RECORDING MONITOR Yes
BATTERY LIFE FOR RECORDING LPCM 44.1KHZ, 24BIT Approx 20 Hrs	LIMITER FUNCTION Yes
BATTERY LIFE FOR RECORDING LPCM 44.1KHZ, 16BIT Approx 20 Hrs	NOISE-CUT FILTER Yes
BATTERY LIFE FOR RECORDING MP3 320KBPS Approx 22 Hrs	LOW-CUT FILTER Yes
BATTERY LIFE FOR RECORDING MP3 192KBPS Approx 22 Hrs	ADD/OVERWRITE RECORDING No
BATTERY LIFE FOR RECORDING MP3 128KBPS Approx 22 Hrs	FM RADIO RECORDING No
BATTERY LIFE FOR RECORDING MP3 48KBPS (MONAURAL) Approx 24 Hrs	AM RADIO RECORDING No
FREQUENCY RESPONSE LPCM 96KHZ, 24BIT 40-40,000 Hz (0--3dB)	VOR Yes
FREQUENCY RESPONSE LPCM 48KHZ, 24BIT 40-21,000 Hz (0--3dB)	REMOTE CONTROL APP FROM SMARTPHONE (REC REMOTE) Yes
FREQUENCY RESPONSE LPCM 48KHZ, 16BIT 40-21,000 Hz (0--3dB)	

	A-B REPEAT Yes ALARM PLAYBACK No DIGITAL PITCH CONTROL (SPEED CONTROL) Yes DIGITAL VOICE UP Yes (Clear Voice) DIVIDE Yes EASY SEARCH Yes ERASE Yes FILE COPY Yes	FOLDER CHANGE (WITHOUT USING PC) Yes FULL DIGITAL AMPLIFIER No GRAPHIC EQUALIZER Yes KEY CONTROL Yes MOVE FILE Yes NOISE CUT Yes (Clear Voice) PROTECT Yes TRACK MARK Yes
Interface	INPUT AND OUTPUT TERMINALS Microphone/External input jack (minijack, stereo) Headphone jack (minijack, stereo) USB connector (Type-A) High-Speed USB compatible microSD memory card slot BLUETOOTH Communication method: Bluetooth Standard version 4.0 Maximum communication range: approx. 10 m (33 ft) Frequency band: 2.4 GHz band (2.4000 GHz - 2.4835 GHz) Compatible Bluetooth profiles: A2DP/AVRCP/SPP Supported Codec: SBC	NFC Yes
What's In The Box	PC Application Software (Sound Organizer2/Stored in built-in memory), Wind screen, Carrying Case	

17. Conference Table With 6 Chairs



CONFERENCE TABLE:

- Material: 10mm Tempered glass table top, 20mm Solid wood top, 85mm Solid wood table leg
- Color: Grey & Walnut
- Size: 6-Seaters
- Set Includes: 1 Table + 6 Chairs
- Dimension:
Table: L63" x W35.5" x H29"
Chair: W17.25" x D22.5" x H40.5"
-

18. High Chair



19. Water Dispenser

Water Dispenser
Features
Hot Water,Cold Water

Power Consumption
(W)
500

Warranty Type
Local Manufacturer Warranty

SKU
1360580189_PH-5012164438

Water Dispenser Type
Freestanding

Model
HFSWD 800

Warranty Period
1 Year

20. Photocopier

Configuration	Black and White Multifunction system with automatic document feeder
Speed	35 to 82 pages per minute
Resolution	1,200 x 1,200 dpi at reduced speed, 256 greyscales per color (scan/copy)
Warm-up time	Approx. 32 seconds
Time to first print	Approx. 11/12.5 seconds or less
Time to first copy	Approx. 10/12 seconds or less
Dimensions (W x D x H)	417 x 429 x 495 mm
Weight	Approx. 26 kg
Power Consumption	Copy/print: 345W, ready mode: 41W, sleep mode: 1W
Power source	220-240 V, 50/60 Hz
General Memory	Standard 512 MB, Max. 1,536 MB
Magnification Zoom	25-400%
Max. monthly duty cycle	450,000 to 500,000 pages per months
Toner Impressions B/W	35,000 Impressions
Standard Interface	USB
PAPER HANDLING	
Max. input capacity with options	550 sheets
Duplex unit	Standard supports 60-120 g/m ²
Max. output capacity	150 sheets face-down
Document processor	Simplex scan 50-160 g/m ² , duplex scan 50-110 gm ² , A4, Letter, Legal, Custom (105 x 148 mm to 216 x 356 mm)
PRINT	
Processor	Cortex A9, 800MHz
Emulations	PCL 6(Sc/XL), KPD L 3 (PostScript 3 compatible), PDF Direct Print, XPS direct print
Features	Encrypted PDF direct print, IPP printing, e-mail printing, WSD print, secure printing via SSL, IPsec, SNMPv3 and private print (requires memory expansion)
Applicable OS	All current operating systems, MAC OS X Version 10.8 or higher
COPY	
Max. original size	A4/Legal
Digital copy features	Auto color mode, continuous scan

Exposure modes	Auto manual: 9 steps
Preset magnification ratios	7 reductions/5 enlargements
Zoom range	25-400 % in 1% steps
SCAN	
Compression format	MMR/JPEG
File type	TIFF, PDF, PDF/A, JPG, XPS
Scan features	Integrated address book, active directory support, encrypted data transfer, multi send at once
Max. scan size	A4 / Legal
Scan functionalities	Scan-to-email, scan-to-FTP, scan-to-SMB, scan to USB host, network TWAIN, WSD scan (USB network)
Scan resolution	600 – 200 dpi (256 grey scales per color)
Scan speed	23 – 30 ipm (300 dpi, A4 color)
INTERFACES	
Standard interface	USB 2.0 (Hi-speed), USB Host Inter-face, Gigabit, Ethernet 10BaseT/100BaseTX/1000 BaseT, Wireless LAN, Slot for optional SD Card

21. Photocopier

Functionality

- Copy and Print up to 16 ppm A4 and 7 ppm A3 in black & white
- TWAIN Scanning in full colour
- Standard: Embedded GDI controller USB
- Optional: 100 sheet bypass tray

Supported Media Types

- Standard: 250 sheets, max. 350 sheets
- 250 sheet universal cassette (A5-A3, 60-160 g/m²) for standard paper, envelopes, OHP, thick paper
- Single bypass - 100 sheet stacker option

Finishing Options

- Electronic Sorting

22. Paper Shredder

TENWIN9004

- Shred Type: Cross Cut
 - Capable of shredding paper, cd and credit card
 - Shred Size: 3 x 10mm (cross cut)
- Maximum Sheet Capacity (70gsm): 80 sheets
- CD and Credit Card: 1pc.
 - Waste Container Capacity: 20 liters
- Horizontal Entry Width: 220mm
- Paper Sensing Mode: Auto
- Dimension: 320 x 203 x 432mm