SUPPLEMENTAL/ BID BULLETIN

Republic of the Philippines
Calamba Water District
Lakeview Subd, Halang, Calamba City
Tel. Nos: (049) 545-2728; 545-1614; 545-1389
Fax No: (049) 545-9752/502-7108
E-mail add: cwd bac@yahoo.com

ADDENDUM NO. 1
21 October 2026

AMENDMENTS TO BIDDING DOCUMENTS

Under Section VI. Specifications, I. Scope of Works, Item No. 4., II. Specifications, Concrete, paragraph 1, thereof should be read as follows;

I. **Under Section VI. Specifications, I. Scope of Works, Item No. 4., II. Specifications, Concrete, paragraph 1,** should be read as follows;

I. **SCOPE OF WORKS,** Item No. 4, should be read as follows;

Item No. 4. Sand (m^3) shall be provided by end user ***for Sand bedding.***

II. **SPECIFICATIONS, Concrete, paragraph 1,** should be read as follows;

Concrete

1. Portland cement: Cement shall conform to the Standard Specifications for READY MIX CONCRETE, ASTM C-94. An air-entraining admixture, conforming to ASTM c-260, shall be added to Type I, Type II or Type III Portland Cement. ***Strength of Concrete shall be 3500psi.***

For guidance and information of all concerned.

ENGR. JOSELITO A. GILLERA
BAC Chairperson

Received by: _____
Date: _____